



LG 32TNF5P-B Signage Display Interactive flat panel 81.3 cm (32") LED 500 cd/m² Full HD Black Touchscreen WebOS

Brand : LG

Product code: 32TNF5P-B

Product name : 32TNF5P-B

- Brightness : 500 nit
- Multi Touch Point : 10 Points (Max.)
- Interface : HDMI (2, HDCP 2.2/1.4), RS-232C In, RJ45(LAN), IR In, USB2.0 Type A, Audio Out, Touch USB (USB 2.0 Type B)
32", 1920 x 1080, 1000:1, 9ms, IPS, HDMI, RS232C, RJ-45, USB 2.0
LG 32TNF5P-B. Product design: Interactive flat panel. Display diagonal: 81.3 cm (32"), Display technology: LED, Display resolution: 1920 x 1080 pixels, Display brightness: 500 cd/m², HD type: Full HD, Touchscreen. Operating system installed: WebOS. Product colour: Black



Display		Design	
Panel type	IPS	Bezel width (bottom)	1.13 cm
LED backlight	✓	Bezel width (side)	1.13 cm
Display diagonal *	81.3 cm (32")	Bezel width (top)	1.13 cm
Display technology *	LED	Performance	
Display resolution *	1920 x 1080 pixels	HDCP	✓
Display brightness *	500 cd/m ²	HDCP version	1.4
HD type *	Full HD	Power	
Touchscreen *	✓	Power consumption (typical) *	48 W
Number of simultaneous touchpoints	10	Power consumption (standby) *	0.5 W
Response time	9 ms	Power consumption (max)	65 W
Contrast ratio (typical)	1000:1	AC input voltage	100 - 240 V
Viewing angle, horizontal	178°	AC input frequency	50/60 Hz
Viewing angle, vertical	178°	Heat dissipation	164 BTU/h
Display number of colours	16.7 million colours	Computer system	
Panel life	50000 h	Internal memory	8 GB
Haze rate	25%	Operating system installed	WebOS
Ports & interfaces		Operating system version	6.0
HDMI ports quantity *	2	Weight & dimensions	
USB port *	✓	Display width	723 mm
USB ports quantity	2	Display depth	39.1 mm
USB version	2.0	Display height	419.4 mm
USB 2.0 Type-B ports quantity	1	Display weight	5.8 kg
Ethernet LAN (RJ-45) ports	1	Packaging data	
Audio (L/R) out	1	Package width	812 mm
RS-232C	✓	Package depth	142 mm
Remote (IR) input	1	Package height	510 mm
Design		Operational conditions	
Product design *	Interactive flat panel	Operating temperature (T-T)	0 - 40 °C
Placement supported *	Indoor	Operating relative humidity (H-H)	10 - 80%
Orientation	Horizontal/Vertical	Network	
Product colour *	Black	Ethernet LAN *	✓
Screen shape	Flat	Security algorithms	SNMP
VESA mounting *	✓		

Design		Other features	
Panel mounting interface	200 x 200 mm	Temperature indicator	✓
		Playback modes	Rotation



0195174084540



195174084540



8806096059029

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.