



LG 49XS4J-B Digital signage display 124.5 cm (49') Wi-Fi 4000 cd/m² Full HD Black Web OS 24/7

Brand : LG

Product code: 49XS4J-B

Product name : 49XS4J-B Digital signage display 124.5 cm (49') Wi-Fi 4000 cd/m² Full HD Black Web OS 24/7

- Brightness : 4,000 nits (Typ.) / 3,200 nits (Min.)
- Resolution : Full HD (1,920 x 1,080)
- Bezel (T,B / R,L) : 9.0 / 6.5 mm
- webOS-based High Performance
- Built-in Wi-Fi

- Web-based Monitoring Solution

49", 1920 x 1080 Full HD, IPS, 16GB, 60 Hz, Wi-Fi, 8ms, WebOS, HDMI, RS232C, RJ45, USB

LG 49XS4J-B Digital signage display 124.5 cm (49') Wi-Fi 4000 cd/m² Full HD Black Web OS 24/7. Product

design: Digital signage flat panel. Display diagonal: 124.5 cm (49"), Display resolution: 1920 x 1080

pixels, Display brightness: 4000 cd/m², HD type: Full HD. Wi-Fi. Operating hours (hours/days): 24/7.

Operating system installed: WebOS. Product colour: Black



Display		Performance	
Panel type	IPS	On Screen Display (OSD)	✓
LED backlighting type	Direct-LED	Number of OSD languages	21
Display diagonal *	124.5 cm (49")	On Screen Display (OSD) languages	Turkish
Display resolution *	1920 x 1080 pixels	Operating hours (hours/days)	24/7
Display brightness *	4000 cd/m²	Power	
HD type *	Full HD	Power consumption (typical) *	345 W
Native aspect ratio	16:9	Power consumption (off)	0.5 W
Response time	8 ms	AC input voltage	100 - 240 V
Contrast ratio (typical)	1300:1	AC input frequency	50 - 60 Hz
Contrast ratio (dynamic)	500000:1	Heat dissipation	117 BTU/h
Viewing angle, horizontal	178°	Computer system	
Viewing angle, vertical	178°	Internal memory	16 GB
Display number of colours	1.07 billion colours	Operating system installed	WebOS
Rated lifetime	50000 h	Weight & dimensions	
Native refresh rate	60 Hz	Display width	1092.7 mm
Haze rate	3%	Display depth	83.5 mm
Ports & interfaces		Display height	626.4 mm
HDMI ports quantity *	2	Display weight	20.8 kg
HDMI version	1.4	Packaging data	
HDMI input ports quantity	2	Package width	1181 mm
DisplayPorts quantity *	2	Package depth	725 mm
DisplayPorts in	1	Package height	212 mm
DisplayPorts out	1	Package weight	25.3 kg
USB port *	✓	Packaging content	
USB ports quantity	1	Remote control included	✓
USB version	2.0	Batteries included	✓
Ethernet LAN (RJ-45) ports	1	Cables included	AC
Number of speaker outputs	2	Operational conditions	
RS-232 interface	✓	Operating temperature (T-T)	0 - 40 °C
RS-232C	✓	Operating relative humidity (H-H)	10 - 80%
Remote (IR) input	1	Logistics data	
Design		Country of origin	South Korea
Product design *	Digital signage flat panel		
Placement supported *	Indoor/outdoor		

Design		Logistics data	
Orientation	Horizontal/Vertical	Harmonized System (HS) code	85285210
Product colour *	Black	Sensors	
VESA mounting *	✓	Ambient light sensor	✓
Panel mounting interface	600 x 400 mm	Network	
Bezel width (bottom)	9 mm	Ethernet LAN *	✓
Bezel width (side)	6.5 mm	Wi-Fi *	✓
Bezel width (top)	9 mm	Features	
Mounting type	Wall	Heat dissipation (max)	1262 BTU/h
Performance		Technical details	
Purpose *	Commercial	Sustainability certificates	ErP
Multi-display supported	✓	Compliance certificates	CE



0195174012178



195174012178



8806091355027



5715063337394

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.