



LG 75UH5Q-E Signage Display Digital signage flat panel 190.5 cm (75") Wi-Fi 500 cd/m² 4K Ultra HD Black WebOS 24/7



Brand : LG

Product code: 75UH5Q-E

Product name : 75UH5Q-E

- Resolution : 3,840 × 2,160 (UHD)
- Brightness : 500 nits (Typ.)
- Bezel Width : 12.9 mm (Even)
- webOS Smart Platform
- LG Shield

75", 4K 3840 x 2160 (UHD), 8ms (G to G), ADS, 60Hz, BT709 95%, 500nit, 16:9, 178° x 178°, 1200:1, 1.07 B, 50000H, 24/7, 16GB eMMC, SoC, 3x HDMI, RJ-45, HDCP 2.2/1.4, 2x USB 2.0 Type-A, RS232C, 10W x 2, Wi-Fi/BT, 0 °C to 40 °C, 100 - 240V, 50/60Hz, 160W, Black

LG 75UH5Q-E. Product design: Digital signage flat panel. Display diagonal: 190.5 cm (75"), Display resolution: 3840 x 2160 pixels, Display brightness: 500 cd/m², HD type: 4K Ultra HD. Wi-Fi. Operating hours (hours/days): 24/7. Operating system installed: WebOS. Product colour: Black

Display

Panel type	ADS
LED backlight	✓
LED backlighting type	Edge-LED
Display diagonal *	190.5 cm (75")
Display resolution *	3840 x 2160 pixels
Display brightness *	500 cd/m ²
HD type *	4K Ultra HD
Touchscreen *	✗
Native aspect ratio	16:9
Response time	8 ms
Contrast ratio (typical)	1200:1
Contrast ratio (dynamic)	1000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours	1.07 billion colours
Panel life	50000 h
Supported graphics resolutions	3840 x 2160
Supported video modes	2160p
Native refresh rate	60 Hz
Haze rate	25%
Colour gamut	95%

Ports & interfaces

HDMI ports quantity *	3
Consumer Electronics Control (CEC)	Yes
DVI port *	✗
DisplayPorts quantity *	1
USB port *	✓
USB ports quantity	2
USB version	2.0
USB connector type	USB Type-A
Ethernet LAN (RJ-45) ports	1
RS-232C	✓

Audio

Built-in speaker(s) *	✓
Number of built-in speakers	2

Performance

On Screen Display (OSD) languages	Multi
Operating hours (hours/days)	24/7
HDCP	✓
Automatic brightness control	✓
International Protection (IP) code	IP5X
HDCP version	1.4/2.2
webRTC support	✓

Power

Power consumption (typical) *	160 W
Power consumption (standby) *	0.5 W
Power consumption (off)	0.5 W
Power consumption (max)	247 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Heat generation (typical)	546 BTU/h
Heat generation (max)	843 BTU/h

Computer system

Computer system *	✓
Computer system type	System on Chip (SoC)
Internal memory	16 GB
Operating system installed	WebOS
Operating system version	8.0

Weight & dimensions

Display width	1679.5 mm
Display depth	29.7 mm
Display height	958.7 mm
Display weight	35.7 kg

Packaging data

Package width	1820 mm
Package depth	200 mm
Package height	1115 mm
Package weight	44 kg


Packaging content

Remote control included	✓
-------------------------	---

Audio		Packaging content	
RMS rated power	20 W	Cables included	Power
Design		Operational conditions	
Product design *	Digital signage flat panel	Operating temperature (T-T)	0 - 40 °C
Placement supported *	Indoor	Operating relative humidity (H-H)	10 - 80%
Orientation	Horizontal/Vertical	Brand-specific features	
Product colour *	Black		
Screen shape	Flat		
VESA mounting *	✓		
Panel mounting interface	600 x 400 mm		
Bezel width (bottom)	1.29 cm	LG technologies (AV/TV)	Control Manager, Gapless Playback, ISM Method, SI Server Setting, Local Contents Scheduling, Booting Logo Image, Auto Set ID, Group Manager, No Signal Image, Setting Data Cloning, Status Mailing, Smart Energy Saving
Bezel width (side)	1.29 cm		
Bezel width (top)	1.29 cm		
Bezel colour	Black		
Mounting type	Wall		
Performance		Sensors	
Purpose *	Commercial	Gyroscope	✓
Picture-in-Picture	✓	Temperature sensor	✓
Digital Rights Management (DRM) type	Pro:Idiom	Network	
On Screen Display (OSD)	✓	Ethernet LAN *	✓
		Wi-Fi *	✓
		Security algorithms	SNMP
		Wake-on-LAN	✓
		Technical details	
		Compliance certificates	CB, Electromagnetic Compatibility (EMC), Federal Communications Commission (FCC), CE, KC
		Other features	
		Quick start guide	✓
		Bluetooth	✓
		Power consumption (PowerSave)	112 W
		Plug and Play	✓



8806096688724



0195174137024



195174137024



8806096845417

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.