



TP-Link VIGI 64 Channel Network Video Recorder



Brand : TP-Link

Product family: VIGI

Product code: VIGI NVR4064H

Product name : VIGI 64
Channel Network Video
Recorder

- 64-Channel Live View and 4K HDMI Video Output
 - Up to 16-ch @ 2MP (25fps) / 8-ch @ 4MP (30fps) Decoding Capability
 - 16-Channel Synchronous Playback
 - 320 Mbps Incoming Bandwidth and 320 Mbps Outgoing Bandwidth
 - 4x SATA Interfaces and 1 Up to 16 TB
 - H.265+ Compression Technology
 - HDMI and VGA Simultaneous Output
 - Remote Monitoring
- VIGI 64 Channel Network Video Recorder

[TP-Link VIGI 64 Channel Network Video Recorder:](#)

Security Never Shuts Down

64 Channel Network Video

Feature-Packed Ports for SMB Surveillance

Dual Ethernet Ports Design

Multi-Address Mode

Allows for the implementation of two different gateways

Network Fault-Tolerance

Creates a safeguard or redundancy for your data

Port Aggregation

Realizes bandwidth stack and mutual backup

One-Click System Initialize

VIGI NVRs enable quick camera additions, HDD initialization, and storage scheduling with a single click, reducing setup expenses.

Performance		Ports & interfaces	
Video input channels *	64 channels	RS-232 ports	1
Alarm input channels	16	Supported network protocols	UPnP (Plug and Play), NTP (Network Timing), SMTP, DNS, TCP/IP, UDP, ICMP, HTTP, HTTPS, DHCP, RTSP, SSL/TLS, RTP, IPv4, ARP
Alarm output channels	4		
Number of simultaneously playbacked channels	16 channels	Features	
Video recording modes	720p, 1080p	Rack mounting	✓
Maximum resolution *	3840 x 2160 pixels	Reset button	✓
Supported resolutions	3840x2160/30Hz, 1920x1080/60Hz, 1680x1050/60Hz, 1440x900/60Hz, 1280x1024/60Hz, 1280x720/60Hz	Buzzer off	✓
Video motion detection	✓	Product colour	Black
Video loss detection	✓	Power	
Audio formats supported	G.711 A-law, G.711 µ-law, G.726	Power consumption (max)	48.38 W
Video formats supported	H.264, H.264+, H.265, H.265+	AC input voltage	100 - 240 V
Backup function	✓	AC input frequency	50/60 Hz
Playback modes	Digital zoom, Fast play, Forward, Full screen, Pause, Play, Stop	Output current	1.5 A
Input bandwidth	320 Mbit/s	System requirements	
Output bandwidth	320 Mbit/s	Mobile operating systems supported	Android, iOS
Recording modes	Manual, Schedule	Browser supported	Chrome (57+), Firefox (52+), Edge (91+)
Audio system	2-way	Operational conditions	
		Operating temperature (T-T)	-10 - 55 °C

Hard drive		Operational conditions	
HDD capacity *	0 GB	Operating relative humidity (H-H)	10 - 90%
Number of HDDs supported	4	Storage temperature (T-T)	-40 - 70 °C
Maximum storage capacity *	64 TB	Storage relative humidity (H-H)	10 - 90%
HDD interface *	SATA	Technical details	
Ports & interfaces		Compliance certificates	BSMI, CE, Federal Communications Commission (FCC), KC, UKCA, VCCI
Ethernet LAN (RJ-45) ports *	2	Weight & dimensions	
Ethernet LAN data rates	10,100,1000 Mbit/s	Width	440 mm
HDMI ports quantity	2	Depth	330 mm
VGA (D-Sub) output ports	1	Height	44 mm
USB 2.0 ports quantity	2	Weight	4 kg
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1	Package width	440 mm
Audio RCA inputs	1	Package depth	528 mm
Audio RCA outputs	1	Package height	100 mm
eSATA ports quantity	1	Package weight	5 kg
eSATA	✓	Packaging content	
Packaging content		- Mouse - Installation Guide - Power Cord - HDD Power Cables - HDD Data Cables - Terminal Blocks - Mounting Brackets - Screws - Rubber Feet	



4895252500776



0840030705335



840030705335



1210002608763

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.