



## LG 75XF3C-B Signage Display Digital signage flat panel 190.5 cm (75") LED 3000 cd/m<sup>2</sup> 4K Ultra HD Black 24/7

Brand : LG

Product code: 75XF3C-B

Product name : 75XF3C-B

75", UHD 3840 x 2160 px, 3000 cd/m<sup>2</sup>, 50000 h, HDMI, DP, DVI-D, USB, RS232C, LAN, webOS 1.0, 750 W  
LG 75XF3C-B. Product design: Digital signage flat panel. Display diagonal: 190.5 cm (75"), Display technology: LED, Display resolution: 3840 x 2160 pixels, Display brightness: 3000 cd/m<sup>2</sup>, HD type: 4K Ultra HD. Operating hours (hours/days): 24/7. Product colour: Black



| Display                    |                            | Design                        |                                       |
|----------------------------|----------------------------|-------------------------------|---------------------------------------|
| Display diagonal *         | 190.5 cm (75")             | Orientation                   | Horizontal/Vertical                   |
| Display technology *       | LED                        | Product colour *              | Black                                 |
| Display resolution *       | 3840 x 2160 pixels         | VESA mounting *               | ✓                                     |
| Display brightness *       | 3000 cd/m <sup>2</sup>     | Panel mounting interface      | 600 x 400 mm                          |
| HD type *                  | 4K Ultra HD                | Bezel width (bottom)          | 1.28 cm                               |
| Touchscreen *              | ✗                          | Bezel width (side)            | 1.18 cm                               |
| Native aspect ratio        | 16:9                       | Bezel width (top)             | 1.18 cm                               |
| Response time              | 8 ms                       | Performance                   |                                       |
| Contrast ratio (typical)   | 1000:1                     | TV tuner integrated           | ✗                                     |
| Viewing angle, horizontal  | 178°                       | Operating hours (hours/days)  | 24/7                                  |
| Viewing angle, vertical    | 178°                       | Power                         |                                       |
| Display diagonal (metric)  | 189 cm                     | Power consumption (typical) * | 750 W                                 |
| Panel life                 | 50000 h                    | Power consumption (standby) * | 0.5 W                                 |
| Horizontal scan range      | 30 - 135 kHz               | AC input voltage              | 100 - 240 V                           |
| Vertical scan range        | 30 - 60.3 Hz               | AC input frequency            | 50 - 60 Hz                            |
| Ports & interfaces         |                            | Weight & dimensions           |                                       |
| HDMI ports quantity *      | 2                          | Width                         | 1675.2 mm                             |
| DVI port *                 | ✓                          | Depth                         | 123.9 mm                              |
| DVI-D ports quantity       | 1                          | Height                        | 953.6 mm                              |
| DisplayPorts quantity *    | 2                          | Weight                        | 36.7 kg                               |
| USB port *                 | ✓                          | Packaging content             |                                       |
| Ethernet LAN (RJ-45) ports | 1                          | Remote control included       | ✓                                     |
| Audio (L/R) in             | 1                          | Cables included               | AC, DVI, DisplayPort, HDMI, IR sensor |
| Audio (L/R) out            | 1                          | Operational conditions        |                                       |
| RS-232 interface           | ✓                          | Operating temperature (T-T)   | 0 - 50 °C                             |
| RS-232C                    | ✓                          | Logistics data                |                                       |
| Card reader integrated     | ✓                          | Harmonized System (HS) code   | 85285210                              |
| Compatible memory cards    | SD                         | Network                       |                                       |
| Audio                      |                            | Ethernet LAN *                | ✓                                     |
| Built-in speaker(s) *      | ✗                          | Other features                |                                       |
| Design                     |                            |                               |                                       |
| Product design *           | Digital signage flat panel |                               |                                       |

| Other features      |   |   |
|---------------------|---|---|
| Manual              |   | ✓ |
| RS-232 input ports  | 1 |   |
| RS-232 output ports | 1 |   |




8806087857405



0719192614086



719192614086



8806098222339

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.