



LG 65UH5J-H Signage Display Digital signage flat panel 165.1 cm (65") LED Wi-Fi 500 cd/m² 4K Ultra HD Black WebOS 24/7

Brand : LG

Product code: 65UH5J-H

Product name : 65UH5J-H



New High Haze UHD Standard Signage 65"

LG 65UH5J-H Signage Display Digital signage flat panel 165.1 cm (65") LED Wi-Fi 500 cd/m² 4K Ultra HD Black WebOS 24/7:

Proper Display Brightness

With a recommend brightness of 500 cd/m² for an indoor display, the UH5J-H series clearly deliver content and attract public attention, making it the most suitable display for marketing in meeting rooms, airports, retail, shopping malls etc.

High-Performance with webOS

LG webOS platform enhances user convenience with intuitive GUI and simple app development tools.

Conformal Coating

In various places the UH5J-H series is unable to avoid exposure to environments containing dust, humidity, etc. which may hamper performance over time. The conformal coating on power board reduces these risks by protecting UH5J-H series from salt, dust, iron powder, humidity, etc.

Mobile Content Management

You can create a store profile and get template recommendations using the Promota* app. Users can customize templates for all industries and easily create and manage content not only on PCs but also on mobile devices.



Display		Performance	
LED backlighting type	Edge-LED	International Protection (IP) code	IP5X
Display diagonal *	165.1 cm (65")	HDCP version	1.4/2.2
Display technology *	LED	Power	
Display resolution *	3840 x 2160 pixels	Power consumption (typical) *	130 W
Display brightness *	500 cd/m ²	Power consumption (standby) *	0.5 W
HD type *	4K Ultra HD	Power consumption (off)	0.5 W
Touchscreen *	✗	Energy efficiency class (SDR)	G
Native aspect ratio	16:9	Energy efficiency class (HDR)	Not available
Response time	8 ms	Energy consumption (SDR) per 1000 hours	120 kWh
Contrast ratio (typical)	1100:1	AC input voltage	100 - 240 V
Contrast ratio (dynamic)	1000000:1	AC input frequency	50 - 60 Hz
Viewing angle, horizontal	178°	Heat dissipation	444 BTU/h
Viewing angle, vertical	178°	Energy efficiency scale	A to G
Panel life	50000 h	Computer system	
Native refresh rate	60 Hz	Internal memory	16 GB
Haze rate	28%	Operating system installed	WebOS
Ports & interfaces		Weight & dimensions	
HDMI ports quantity *	3	Display width	1453.3 mm
DVI port *	✓	Display depth	39.9 mm
DVI-D ports quantity	1	Display height	844 mm
DisplayPorts quantity *	1	Display weight	28.2 kg
USB port *	✓	Width (with stand)	1453.3 mm
USB ports quantity	1	Depth (with stand)	290 mm
USB version	2.0	Height (with stand)	893.1 mm
Ethernet LAN (RJ-45) ports	1	Packaging data	
Audio (L/R) in	1	Package width	1600 mm
Audio (L/R) out	1	Package depth	175 mm
RS-232C	✓		
Infrared data port	✓		

Ports & interfaces		Packaging data	
Remote (IR) input	1	Package height	1095 mm
Audio		Package weight	35 kg
Built-in speaker(s) *	✓	Packaging content	
Design		Remote control included	✓
Product design *	Digital signage flat panel	Batteries included	✓
Placement supported *	Indoor/outdoor	Cables included	AC
Orientation	Horizontal/Vertical	Tilt adjustment	✓
Product colour *	Black	Operational conditions	
VESA mounting *	✓	Operating temperature (T-T)	0 - 40 °C
Panel mounting interface	300 x 300 mm	Operating relative humidity (H-H)	10 - 80%
Bezel width (bottom)	1.44 cm	Sensors	
Bezel width (side)	9.9 mm	Ambient light sensor	✓
Bezel width (top)	9.9 mm	Network	
Performance		Ethernet LAN *	✓
Purpose *	Commercial	Wi-Fi *	✓
On Screen Display (OSD)	✓	Features	
On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, Czech, Danish, German, Dutch, English, Spanish, Finnish, French, Greek, Italian, Japanese, Korean, Norwegian, Portuguese, Russian, Swedish, Turkish	Heat dissipation (max)	649 BTU/h
Operating hours (hours/days)	24/7	Other features	
HDCP	✓	Power supply type	Internal



0195174033807



195174033807



8806091657176



8806091655141

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.