

EnGenius Outdoor CB/AP DBC 11ac Wave2 400+867Mbps 2T2R 4x5dBi RP-SMA GbE PoE.af IP67

Brand : EnGenius

Product code: ENH1350EXT

Product name : Outdoor CB/AP DBC 11ac Wave2 400+867Mbps 2T2R 4x5dBi RP-SMA GbE PoE.af IP67


EnGenius Outdoor CB/AP DBC 11ac Wave2 400+867Mbps 2T2R 4x5dBi RP-SMA GbE PoE.af IP67. 2.4 GHz, 5 GHz, Maximum data transfer rate: 1000 Mbit/s. Security algorithms: SNMP, SNMPv3. Ethernet LAN data rates: 10,100,1000 Mbit/s. Power over Ethernet (PoE). Product colour: White. Power consumption (max): 12.6 W



Features		Design	
2.4 GHz *	✓	International Protection (IP) code	IP67
5 GHz *	✓	Reset button	✓
Maximum data transfer rate *	1000 Mbit/s	Internal	✗
Ethernet LAN data rates	10,100,1000 Mbit/s	Antenna	
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	Antennas quantity	4
MIMO	✓	Antenna gain level (max)	5 dBi
MIMO type	Multi User MIMO	Antenna connector type	SMA
Modulation	16-QAM, 64-QAM, 256-QAM, BPSK, CCK, QPSK	Certificates	
Fit AP mode features	Wireless distribution system (WDS)	Certification	FCC, CE
Wi-Fi roaming	✓	Weight & dimensions	
Fast roaming	✓	Width	111.2 mm
VLAN support	✓	Depth	173.6 mm
Virtual LAN features	Tagged VLAN, SSID-based VLAN assignment	Height	30.3 mm
Number of VLAN IDs	16	Weight	295 g
Band steering	✓	Packaging data	
Configuring Location Settings (CLI)	✓	Package width	152 mm
Quality of Service (QoS) support	✓	Package depth	248 mm
Security		Package height	117 mm
Security algorithms *	SNMP, SNMPv3	Package weight	876.5 g
MAC address filtering	✓	Packaging content	
Service Set Identifier (SSID) features	SSID broadcast on/off	AC adapter included	✓
Number of SSID supported	64	Cables included	AC
Auto Wireless Distribution System (WDS)	✓	Quick start guide	✓
Remote Authentication Dial-In User Service (RADIUS)	✓	Operational conditions	
Ports & interfaces		Operating relative humidity (H-H)	0 - 90%
Ethernet LAN (RJ-45) ports *	1	Operating temperature (T-T)	-20 - 60 °C
WAN connection	Ethernet (RJ-45)	Storage temperature (T-T)	-40 - 80 °C
DC-in jack	✓	Storage relative humidity (H-H)	0 - 90%
Power		Logistics data	
Power over Ethernet (PoE) *	✓	Harmonized System (HS) code	85176990
Power consumption (max)	12.6 W	Master (outer) case width	328 mm
		Master (outer) case length	493 mm
		Master (outer) case height	291 mm
		Master (outer) case gross weight	7.8 kg
		Products per master (outer) case	8 pc(s)

Design

Placement *	Wall
Product colour *	White



4713361934377



4713361930058

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.