



DELL UltraSharp 27 USB-C Hub Monitor - U2722DE

Brand : DELL

Product family: UltraSharp

Product code: DELL-U2722DE

Product name : Dell UltraSharp

27 USB-C Hub Monitor -
U2722DE

- 68.6cm (27") Quad HD 2560 x 1440 LED IPS

- 8ms, 16:9, 350cd/m², 1000:1

- USB, HDMI, DisplayPort

68.6cm (27") Quad HD 2560 x 1440 LED IPS, 16:9, 350cd/m², 1.07B, 8ms, 178°/178°, 1000:1

[DELL UltraSharp 27 USB-C Hub Monitor - U2722DE:](#)

Connected productivity. Vibrant color.

Take your work to new heights with this 27-inch QHD monitor featuring outstanding connectivity, brilliant color coverage including DCI-P3, ComfortView Plus—an always on built-in low blue light screen—and USB-C port with up to 90W power delivery and Ethernet connectivity.

DELL UltraSharp 27 USB-C Hub Monitor - U2722DE. Display diagonal: 68.6 cm (27"), Display resolution: 2560 x 1440 pixels, HD type: Quad HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub, USB hub version: 3.2 Gen 2 (3.1 Gen 2). VESA mounting, Height adjustment. Product colour: Silver



Display		Ergonomics	
Display diagonal *	68.6 cm (27")	Pivot	✓
Display resolution *	2560 x 1440 pixels	Pivot angle	-90 - 90°
HD type *	Quad HD	Swivelling	✓
Native aspect ratio *	16:9	Swivel angle range	-45 - 45°
Display technology *	LCD	Tilt adjustment	✓
Panel type *	IPS	Tilt angle range	-5 - 21°
Backlight type	LED	On Screen Display (OSD)	✓
Touchscreen *	✗	Plug and Play	✓
Display brightness (typical)	350 cd/m²		
Response time *	8 ms		
Anti-glare screen	✓		
Screen shape *	Flat		
Supported graphics resolutions	2560 x 1440		
Supported video modes	480i, 480p, 576p, 720p, 1080i, 1080p		
Contrast ratio (typical) *	1000:1		
Maximum refresh rate *	60 Hz		
Viewing angle, horizontal	178°		
Viewing angle, vertical	178°		
Display number of colours *	1.07 billion colours		
Response time (fast)	5 ms		
Pixel pitch	0.2331 x 0.2331 mm		
Pixel density	108.78 ppi		
Horizontal scan range	30 - 90 kHz		
Vertical scan range	49 - 76 Hz		
Viewable size, horizontal	59.7 cm		
Viewable size, vertical	33.6 cm		
Viewable size diagonal	68.5 cm		
		Power	
		Energy efficiency class (SDR) *	E
		Energy efficiency class (HDR) *	Not available
		Energy consumption (SDR) per 1000 hours *	20 kWh
		Power consumption (typical) *	20.4 W
		Power consumption (standby) *	0.3 W
		Power consumption (max)	197 W
		Power consumption (average)	20.4 W
		Power consumption (off)	0.3 W
		Power consumption (PowerSave)	20.32 W
		AC input voltage	100 - 240 V
		AC input frequency	50 - 60 Hz
		Power supply type	Internal
		Energy efficiency scale	A to G
		Operational conditions	
		Operating temperature (T-T)	0 - 40 °C
		Storage temperature (T-T)	-20 - 60 °C
		Operating relative humidity (H-H)	10 - 80%
		Storage relative humidity (H-H)	5 - 90%

Display		Operational conditions	
High Dynamic Range (HDR) supported	✗	Operating altitude	0 - 5000 m
Colour gamut standard	sRGB	Non-operating altitude	0 - 12192 m
Colour gamut	100%	Weight & dimensions	
Multimedia		Width (with stand)	611.3 mm
Built-in speaker(s) *	✗	Depth (with stand)	185 mm
Built-in camera *	✗	Height (with stand)	535.1 mm
Design		Weight (with stand)	6.59 kg
Market positioning *	Office	Width (without stand)	611.3 mm
Product colour *	Silver	Depth (without stand)	49.5 mm
Front bezel colour	Black	Height (without stand)	352 mm
Detachable stand	✓	Weight (without stand)	4.78 kg
Feet colour	Silver	Bezel width (side)	7.3 mm
Ports & interfaces		Bezel width (top)	7.3 mm
Built-in USB hub *	✓	Bezel width (bottom)	9.05 mm
USB hub version	3.2 Gen 2 (3.1 Gen 2)	Packaging data	
USB upstream port type	USB Type-C	Package weight	10 kg
Number of upstream ports	2	Packaging content	
Number of USB Type-C upstream ports quantity	2	Cables included	AC, DisplayPort, HDMI, USB Type-C
USB Type-A downstream ports quantity	4	DisplayPort cable length	1.8 m
USB Type-C downstream ports quantity	1	HDMI cable length	1.8 m
USB Type-C DisplayPort Alternate Mode	✓	Carbon footprint	
USB Power Delivery up to	90 W	Total carbon footprint (kg of CO2e)	643
DVI port	✗	Total carbon emissions, standard deviation (kg of CO2e)	107
HDMI *	✓	Carbon emissions, manufacturing (kg of CO2e)	378.08
HDMI ports quantity	1	Carbon emissions, logistics (kg of CO2e)	50.8
HDMI version	1.4	Carbon emissions, energy usage (kg of CO2e)	210.9
DisplayPorts quantity	2	Carbon emissions, end-of-life (kg of CO2e)	3.22
DisplayPort version	1.4	PAIA version	PAIA 1.2.13, 2021
Audio output	✓	Other features	
Headphone connectivity	3.5 mm	Heavy metals free	Hg (mercury)
Network		Ethernet LAN (RJ-45) ports	1
Wi-Fi	✗	Logistics data	
Ergonomics		Harmonized System (HS) code	85285210
VESA mounting *	✓		
Panel mounting interface	100 x 100 mm		
Cable lock slot *	✓		
Height adjustment *	✓		
Adjustable height (max)	15 cm		



5397184505014



0884116390787



884116390787



5704174586999



5704174550600

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.