



## Dell Wyse 5070 1.5 GHz Windows 10 IoT 1.13 kg Black J4105

**Brand :** Dell Wyse

**Product code:** 222JC

**Product name :** 5070

- Windows 10 IoT 64-bit  
- Intel Celeron J4105 (1.5GHz)  
- 4GB (2400MHz) DDR4-SDRAM (1 x 4) & 32GB eMMC  
Intel Celeron J4105 (1.5GHz), 4GB DDR4-SDRAM, 32GB eMMC, Intel UHD Graphics 600, LAN, Windows 10 IoT 64-bit

Dell Wyse 5070 1.5 GHz Windows 10 IoT 1.13 kg Black J4105:

### One platform. Every need.

Enjoy ultimate flexibility with multiple validated OS, connectivity and form factor options. Featuring world-renowned security and deployment.

Dell Wyse 5070. Processor frequency: 1.5 GHz, Processor manufacturer: Intel, Processor family: Intel® Celeron®. Internal memory: 4 GB, Internal memory type: DDR4-SDRAM, Memory clock speed: 2400 MHz. Total storage capacity: 32 GB, Storage media: eMMC. On-board graphics card model: Intel® UHD Graphics 600. Audio system: Realtek ALC3253



| Processor                    |                         | Ports & interfaces            |                                      |
|------------------------------|-------------------------|-------------------------------|--------------------------------------|
| Processor frequency *        | 1.5 GHz                 | DisplayPorts quantity         | 1                                    |
| Processor manufacturer *     | Intel                   | Serial ports quantity         | 1                                    |
| Processor family             | Intel® Celeron®         | Line-out                      | ✓                                    |
| Processor model              | J4105                   | Design                        |                                      |
| Processor cores              | 4                       | Rack mounting                 | ✓                                    |
| Processor cache              | 4 MB                    | Product colour *              | Black                                |
| Memory                       |                         | Cable lock slot type          | Kensington                           |
| Internal memory *            | 4 GB                    | Display                       |                                      |
| Internal memory type         | DDR4-SDRAM              | Display included *            | ✗                                    |
| Memory clock speed           | 2400 MHz                | NOC supported                 | ✓                                    |
| Memory slots                 | 2x SO-DIMM              | Software                      |                                      |
| Memory layout (slots x size) | 1 x 4 GB                | Operating system installed *  | Windows 10 IoT                       |
| Maximum internal memory      | 8 GB                    | Operating system architecture | 64-bit                               |
| Storage                      |                         | Operating system language     | English                              |
| Total storage capacity *     | 32 GB                   | Bundled software              | Wyse 5070 Software Drivers for WIE10 |
| Storage media *              | eMMC                    | Power                         |                                      |
| Graphics                     |                         | Power supply                  | 65 W                                 |
| On-board graphics card *     | ✓                       | AC input voltage              | 100 - 240 V                          |
| On-board graphics card model | Intel® UHD Graphics 600 | AC input frequency            | 50 - 60 Hz                           |
| Audio                        |                         | Operational conditions        |                                      |
| Audio system                 | Realtek ALC3253         | Operating temperature (T-T)   | -40 - 70 °C                          |
| Network                      |                         | Storage temperature (T-T)     | -40 - 70 °C                          |
| Wi-Fi *                      | ✗                       | Operating altitude            | 0 - 5000 m                           |
| Ethernet LAN *               | ✓                       | Non-operating altitude        | 0 - 10668 m                          |
| Ethernet LAN data rates      | 10,100,1000 Mbit/s      |                               |                                      |
| Cabling technology           | 10/100/1000Base-T(X)    |                               |                                      |

| Ports & interfaces                                |   | Weight & dimensions          |                                     |
|---------------------------------------------------|---|------------------------------|-------------------------------------|
| Ethernet LAN (RJ-45) ports *                      | 1 | Width                        | 35.6 mm                             |
| USB 2.0 ports quantity *                          | 2 | Depth                        | 184 mm                              |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * | 5 | Height                       | 184 mm                              |
| USB Type-C ports quantity                         | 1 | Weight                       | 1.13 kg                             |
| Headphone outputs                                 | 1 | Packaging content            |                                     |
| Combo headphone/mic port                          | ✓ | Stand included               | ✓                                   |
| DC-in jack                                        | ✓ | Box contents                 | System 3 ft Power Cord (US)         |
|                                                   |   | Other features               |                                     |
|                                                   |   | Compatible operating systems | Windows10/Linux/ThinOS/ThinOS+PCoIP |
|                                                   |   | Operating system version     | LTSC 2019                           |



0884116381068



884116381068

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.