



BenQ PL5502 Signage Display Digital signage flat panel 139.7 cm (55") IPS 500 cd/m² Full HD Black 24/7


Brand : BenQ

Product code: PL5502

Product name : PL5502

55" 1920 x 1080 IPS, Direct LED, 16:9, 500 nits, 1200:1, HDMI, Display Port, DVI, VGA, USB, LAN, 1210.5 x 681.2 x 121.1 mm, 23.5 kg

BenQ PL5502. Product design: Digital signage flat panel. Display diagonal: 139.7 cm (55"), Display technology: IPS, Display resolution: 1920 x 1080 pixels, Display brightness: 500 cd/m², HD type: Full HD. Operating hours (hours/days): 24/7. Product colour: Black



Display		Design	
LED backlighting type	Direct-LED	Bezel width (bottom)	0.44 mm
Display diagonal *	139.7 cm (55")	Bezel width (side)	0.44 mm
Display technology *	IPS	Bezel width (top)	0.44 mm
Display resolution *	1920 x 1080 pixels	Performance	
Display brightness *	500 cd/m ²	Purpose *	Commercial
HD type *	Full HD	On Screen Display (OSD)	✓
Native aspect ratio	16:9	Number of OSD languages	8
Contrast ratio (typical)	1200:1	Operating hours (hours/days)	24/7
Viewing angle, horizontal	178°	Power	
Viewing angle, vertical	178°	Power consumption (typical) *	225 W
Active display area (W x H)	1209.6 x 680.3 mm	Power consumption (standby) *	0.5 W
Rated lifetime	50000 h	Energy efficiency class (SDR)	G
Ports & interfaces		Energy consumption (SDR) per 1000 hours	147 kWh
HDMI ports quantity *	2	AC input voltage	100 - 240 V
HDMI version	1.4/2.0	AC input frequency	50 - 60 Hz
DVI port *	✓	Energy efficiency scale	A to G
DVI-I ports quantity	1	Weight & dimensions	
VGA (D-Sub) input ports	1	Width	1210.5 mm
DisplayPorts quantity *	1	Depth	121.1 mm
USB port *	✓	Height	681.2 mm
USB ports quantity	1	Weight	22.5 kg
Ethernet LAN (RJ-45) ports	1	Packaging data	
RS-232 interface	✓	Package weight	33.6 kg
Audio		Packaging content	
Built-in speaker(s) *	✓	Remote control included	✓
Number of built-in speakers	2	Cables included	DVI, DisplayPort, HDMI, RS-232
RMS rated power	8 W		

Design		Operational conditions	
Product design *	Digital signage flat panel	Operating temperature (T-T)	0 - 40 °C
Placement supported *	Indoor	Storage temperature (T-T)	-20 - 60 °C
Orientation	Horizontal/Vertical	Sensors	
Product colour *	Black	Ambient light sensor	✓
VESA mounting *	✓	Network	
Panel mounting interface	600 x 400 mm	Ethernet LAN *	✓

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.